Page number entries in **bold** denote illustrations or tables.

A

ACCase herbicides, 376, 388 actinomycetes, 68, 75, 75, 76 adaptation strategies, and climate change, 17, 35-36 aerial drones, 333, 473, 555 aerial photography, 333, 337, 338, 342, 346, 473, 555 AgBalance, 560 AgBiz Logic, 560-566, 561, 564, 567 AgClimate Atlas, 40–42 AgClimate (Agriculture Climate) Network, 4, 37 aggregate stability. See also soil aggregation cropping system related to, 52, 52 crop residue harvesting and, 136 earthworms and, 82, 83 how to determine, 51 organic materials and crop residues for, 53-54, 53 soil health and, 50-54 water infiltration patterns in, 51, 52 agricultural policies. See farm policies agroecological classes (AECs) alternative crop sequences in, 169 crop diversity in, 167–170, 168 description of, 26-27, 26, 167-170 general water holding capacity and productivity by crop in, 234-235 geographic diversity in, 323 predominant crops in, 21, 22 production issues and adaptive strategies in, 169 agronomic zones, 25, 26, 167, 327 AgWeatherNet website, 39–40, 345, 554-555

air pollutants, from crop residue burning, 162 Alfisol soil order, 23, 24 ALS herbicides, 376, 384 aluminum cation exchange and, 64 phosphorus availability and, 259 soil aggregates with, 51 soil pH and levels of, 59, 60 aluminum toxicity soil acidity and, 59, 265 wheat grain yield and, 59, 60, 263 Andisol soil order, 23, 24 Annual Crop agroecological class (AEC) alternative crop sequences in, 169 canola and, 187, 188, 190, 193, 196 conservation tillage in, 171 crop diversity in, 167–170, 168, 170-171, 180 crop residue for erosion protection in, 131 description of, 26, 26, 27, 102, 167 direct seeding in, 170 diversification strategies in, 169, 170 - 171earthworm populations in, 84, 85 economic analysis of net returns by crop in conventional tillage in, 211, 212 general water holding capacity and productivity by crop in, 234–235 Grain-Fallow AEC compared with, 102 grain legumes in, 174, 175, 176-178, 179, 180, 181 lime application for soil pH and, 62 nitrogen fertilizer application in, 330 over-winter soil water storage and infiltration in, 58–59

predominant crops in, 21, 22 production issues and adaptive strategies in, 169 soil aggregate stability in, 52–53 soil organic carbon (SOC) dynamics in, 70, 78 typical rotation crops in, 102 variable rate nitrogen (VRN) applications used in, 341 water storage efficiency in, 132, 133, 133 wheel traffic soil compaction in, 54, 55 Annual Crop-Fallow Transition agroecological class (AEC) alternative crop sequences in, 169 canola and, 187, 191, 196 crop diversity in, 167–170, 168, 171–172 description of, 26, 26, 27, 102, 167 diversification strategies in, 169, 171 - 172economic analysis of net returns by crop in, 213-215, 214 general water holding capacity and productivity by crop in, 234 Grain-Fallow AEC compared with, 102 grain legumes in, 175, 176, 178, 181 predominant crops in, 21, 22 soil organic carbon (SOC) dynamics in, 70, 71, 79–80, 82 soil pH in, 61, 62 antibiotics, in manures, 305 aphids, 475–483 climate change impacts on, 483 description of, 476–478, 476, 478 host plants and damage with, 479-481, 479, 480 identifying characteristics of, 477 integrated management of, 481–482 life cycle of, 478–479 status and distribution of, 475-476 Aridisol soil order, 23, 24, 472 armyworms. See wheat head armyworm auto-steer systems, 339

B

banks grass mite, 509–511, **510**. See also mites

bare patch, 77, 409, 420, 420, 422, 423, 448 barley. See also grains as predominant crop in dryland farming, 21 rotational use of, 205–206 soil pH and yield in, 59 spring planting of, 202-203 wheel traffic soil compaction and yield in, 54, **55** bicarbonate extract test, for potassium, 262 biochar crop residue harvesting for, 146, 151 soil applications of, 306-308 soil health benefits of, 306-308, 308 soil pH and wheat yield and, 62, 63, 306, 308 sources and generation of, 306, **307** biofuel, legislation encouraging, 166 biofuel production, 4, 71, 146, 188, 218 biological controls, in disease management, 410 biomass crop residue harvesting and, 151 crop residue production and, 131, 137-141, 139 crop-weed competition and, 363 particulate organic matter (POM) in, 72 soil organic matter (SOM) dynamics and, 69, 71, 72, 73, 74–77, 75, 78, 79-80, 81, **81**, 82 bio-oil, from crop residue harvesting, 151 biosolids, 286, 290-297 application rates for, 292–283 composition and nutrients supplied by, 291–292, **292** contaminants in, 296-297 costs of, 291 grain quality considerations in, 293-294 heavy metals in, 296-297 most common crops receiving, 291 nutrient loss considerations with, 296 rate calculation worksheet for, 292 resources on, 291, 297 soil carbon accumulation using, 284, 285, 289, 289

soil health benefits of, 294, 295 sources of, 290 standards for pathogen-reduction treatment of, 290-291 vield impacts of, 293 black cutworm, 493, 493, 494. See also cutworms black liquor crop residue harvesting for, 146, 151, 308 possible soil amendment use of, 309 brown wheat mite, 509, 510. See also mites bulk density biosolid applications and, 294, 295 cropping practices related to, 55, 55, 56 landscape-specific processes affecting, 325 as soil health indicator, 49, 54-56 soil compaction and, 54, 55 soil organic matter (SOM) and, 55–56, 56

С

calcium pH range and availability of, 59 soil fertility and, 64, 263 soil flocculation and, 66 Calcium Carbonate Equivalent (CCE) scoring method, 265, 266 camelina diversification strategy using, 196–198 rotational use of, 197-198 canola benefits of, 188 challenges to adopting, 187–188 crop residue nutrients in, 136, 143 - 144diversification strategy using, 186–196 grazing of first season's forage in, 191-192, 192 herbicide use and, 377 Italian ryegrass and, 388 nitrogen management for, 195-196 as predominant crop in dryland farming, 21, 22 prices received by growers in, 215, 217 resource on, 272

rotational effect of, 188-190, 189 rotational fit of, 186-188 spring establishment of, 190–192 sulfur fertilizer for, 269 unit nitrogen requirements (UNRs) for, 196 weed management for, 193–195 winter establishment of, 191–195 carbon (C). See also soil organic carbon (SOC) biosolids applications for, 284, 285, 294 mineralizable, in plant respiration, 78 permanganate oxidizable, 74, 79 soil health and loss of, 284 soil organic matter (SOM) with, 72, 73,74 carbon dioxide (CO₂), atmospheric agricultural policy for management of, 544 barley yellow dwarf virus (BYDV) spread and, 483 cereal pathogens and disease and, 403 climate change impact and, 5, 16, 21, 257 plant growth and water usage related to, 16, 21 plant respiration and mineralizable carbon and, 77-78 rapid plant development and growth (CO₂ fertilization) and, 31, 35, 42 soil organic matter (SOM) and, 9, 68, 285 CO₂ fertilization, 31, 35, 42 carbon sequestration amendment type and, 289 barley and, 202 carbon planning tools for, 557, 558, 562 conservative versus conventional tillage for, 117 crop residue production and, 142, 146 direct seed methods and, 115 diversification and, 165 flex cropping for, 172, 206 management strategies for, **10** reduced tillage practices for, 35 soil organic matter and, 112, 115 winter triticale and, 204

carbon-to-nitrogen (C:N) ratio amendment use determination using, 287, 288 composting and, 298 legume decomposition and, 247 manure nutrient content and, 299, 300, 302 potentially mineralizable nitrogen (PMN) and, 78 residual soil nitrogen and, 248 residue structure components and, 80, 143, 144-146, 152 soil organic matter (SOM) and, 74, 78, 80 Cascade Mountains climatically distinct areas divided by, 17 inland PNW area defined by, 2 rain shadow effect from, 2, 15, 17, 27 cation exchange capacity (CEC), 64-67 base saturation in, 64–66 description of process of, 64 factors affecting, 66, 67 flocculation and, 66 leaching and, 64 soil pH values and, 264 typical values in soil types, 64, 65 Cephalosporium stripe, 453–458 background on, 453 causes of, 454 characteristics and management options for, 454 disease cycle and conditions favoring, 456 diseases similar to, 449-450 distribution of, 438 key diagnostic features of, 454–455, 455 management strategies for, 457-458 potential climate change effects on, 456-457 cereal leaf beetle (CLB), 487 climate change impacts on, 492 description of, 487, 488, 490 host plants and damage with, 489 identifying characteristics of, integrated management of, 489-492, 491 life cycle of, 489

resource for, 528 status and distribution of, 487 cereal production atmospheric carbon dioxide and, 21 crop residue estimates in, 138, 139 crop residue harvesting in, 143-144, 147-149, 150, 151 crop residue retention in, 136 pests affecting, 470 selected pathogens affecting, 410-462, 410 cereal rust nematodes, 442-448 background and causes of, 442–443 characteristics and management options for, 443 disease cycle and conditions favoring, 445 distribution of, 438 key diagnostic features of, 443-444, 444 management strategies for, 446–448 potential climate change effects on, 445 chisel tillage, 104, 105, 106, 111 chloride, and soil fertility, 261, 262 climate, 15-43 average annual maximum temperature (1981-2020) across PNW and, 17, 18 average annual precipitation (1981-2020) across PNW and, 17–18, 18 Cascade Mountains with distinct areas in, 17 diversity of dryland agricultural systems and, 21-27 key points for, 24 overview of, 17-21 primary drivers of variability in, 19-20 topography influences on, 17 weed adaptation to, 359 weed seed germination and plant development and, 359 year-to-year variability in annual temperature and precipitation in, 18, 19 climate change alternate crop explorations due to, 165 annual temperature change as indicator of, 20

diseases potentially impacted by, 21, 29, 30, 403-404, 416-417, 423, 427, 431, 436, 440, 445, 452, 456-457, 461 economic considerations of, 36 educational resources about, 37-38 future projections for, in inland PNW, 28-30, 29, 30 global impacts in, 20–21 greenhouse gas emissions and, 20 grower considerations about, 32–34 land transaction decisions and, 36 longer term projections on, 33-34 nitrogen fertilizer use and, 322 pest management and, 473, 483, 486-487, 492, 500, 504, 508-509, 515, 525 precision agriculture response to, 36, 321, 329 production practices for adaptation and mitigation of, 35-36 regulatory context and, 35 small grain production and, 30–31 soil amendments for mitigation of, 36, 285 - 286tools and resources for, 37-42, 345 weather and climate data sources on, 38-40, 41 climate change modeling alternate crop explorations and, 166 description of, 27–28 educational resources about, 37-38 future climate projections for inland PNW using, 28–30, 29, 30 growing degree day changes on, 29, 30 information gaps in, 34-35 limitations of, 27 longer term projections in, 33-34 mean annual temperature and precipitation changes on, 28–29, 29 regional studies' use of, 27 selecting right model for, 34–35 weather and climate data sources for, 38 - 40climate data decision support tools using, 40–42 resources for, 38-40, 41 Climate Data Online website, 39–40 Climate Engine website, 38–39

climate forecasting, 32-34 longer term climate change projections in, 33-34 seasonal climate forecasts in, 33, 34 weather forecasts and, 32, 34 Climate Learning Network webinar, 37 climate modeling, 37-38. See also climate change modeling Columbia Plateau Ecoregion, US Environmental Protection Agency, 21 Columbia Plateau PM10 Project, 116 Columbia River Basin rain shadow effect in, 17 warmest locations in, 17 compaction of soil bulk density as measure of, 54, 55 deep-injected fertilizers and, 256 fallow period reduction and, 9 indicators of, 50 intensive tillage and, 51, 51, 54 precision agriculture for, 325, 343 root penetration and, 54, 54 results of, 49 soil health and, 49, 50 soil hydraulic properties related to, 57 soil organic matter (SOM) content and, 55–56, 56 wheel traffic causing, 54, 55 composted manures contaminants in, 304 dairy solids and, 298 organic production of, 298 plant-available nitrogen in, 301, 302 safety regulation of production of, 305 soil health benefits of, 301-303 weed seeds in, 305 conservation tillage, 99-118 Annual Crop AEC and, 171 biosolid application in, 293, 294 conventional systems compared with, 101-102, **106-108**, 116, **117** crop residue amounts produced in, 128, 129, 131 definitions of, 99 disease management and, 410 effects of different implements in, 105, 106-108 factors in adoption of, 116

grower considerations in, 116 inland PNW adoption of, 104-105, 108 key points for, 98–99 mulch tillage in, 103 no-till/chemical fallow tillage in, 103 reduced tillage in, 104 resources for, 116-118 ridge tillage in, 102–103 soil aggregation in, 111, **111** soil erosion and, 109–111 soil organic matter (SOM) in, 111-113, 114 soil pH and soil fertility in, 113-115 sustainability challenges in, 105–109 types of, 102–104 winter peas in, 175 yield and economics in, 115-116 conventional tillage systems. See also specific systems biosolid application in, 294 conservative tillage compared with, 101–102, **106–108**, 116, **117** crop residue amounts produced in, 128, 129 crop residue for erosion control in, 128, 130 description of, 101–102 earthworm populations in, 84, 85 economic analysis of net returns by crop in, 211, 212 ground cover, runoff, and soil erosion in, 58, 58, 111 snow depth in, 133–135, 134 soil erosion in, 110, 111 soil organic carbon (SOC) dynamics and, 69, 70, 71 copper toxicity, 305-306 Cornell soil health assessment, 88 cover crops diversification strategy using, 208–209 farm policies on, 547 long-term productivity improvements with, 164 manure use with, 298 potential options for, 209 soil aggregation and, 56 soil compaction reversal using, 49 soil organic matter (SOM) and, 80

critical period thresholds, in weed management, 363, 364 cropping systems. See also specific systems bulk density related to, 55, 55, 56 soil infiltration and saturated hydraulic conductivity related to, 57, 57 soil organic matter (SOM) related to, 56, 68, **69**, 79-80 crop residue, 125–155 benefits of retaining, 127 crop varieties and differences in, 143 - 144decomposition acceleration in, 141 - 142factors influencing decomposition rates for, 143 ground cover estimates for, 137, 137, 138 inland PNW dry cropping use of, 141 - 142key points for, 126 nitrogen mineralization or immobilization and, 144 overview of, 126-127 residue biomass estimates for, 137-141, 139 root composition and, 144–146 soil erosion protection using, 128–131, 130 soil health improvements using, 135-136 soil nutrients and crop comparisons in, 136 tillage systems and amount of, 128, 129 snow capture and, 133-135, 134, 135 stripper header in harvesting and, 142 - 143water conservation and, 131–135, 133, 134, 135 wind erosion and, 128, 129, 131, 135 yield relationships in, 138–141, 139, 140 crop residue burning, 142, 151-154 cost factors in, 153, **154** economic tradeoffs for, 152-153 environmental impacts of, 152

fertilizer replacement costs in, 153, 153 reasons for using, 151 retaining enough residue for erosion protection during, 131 soil organic carbon (SOC) in, 71, 71 tradeoffs in, 152 windrow, 151, 365, 369 crop residue harvesting, 142, 146–151 biomass return after processing in, 151 calculating amount needed from, 146 - 147cost factors in, 147-149, 150 economic tradeoffs for, 147-148, 149 partial budgeting approach in, 147, 149 site-specific issues in, 149–151 soil organic carbon (SOC) and, 146-147, 148 uses for harvested residue in, 146 crop rotation acronyms used in, 165 alternative crop sequences in, 169 canola and, 186-190, 189 camelina and, 197-198 crop residue management using, 142 disease prevention using, 407 economic and environmental goals and, 166 economic impacts of, 209-215, 212, 214, 216, 217 grain legumes for, 173–179 herbicide use during, 377, 378–379 manure use in, 298 nitrogen use efficiency (NUE) and, 253 - 254safflower and, 199-200 short-run costs of changing cropping systems in, 210 soil aggregation and, 56 soil pH and, 62, 64 spring grains in, 200 weed management and, 377, 378-379 yellow mustard and, 199 CropSyst crop model, 31, 559 crop yield. See yield cutworms, 493-500 climate change impacts on, 500

descriptions of, 493–494, **493**, **494**, **495**, **496** host plants and damage with, 498, **498** integrated management of, 499–500 life cycle of, 496–498, **497** resources for, 528–529

D

decision support tools, 550–567 agricultural management using, 40-42 climate forecasting and, 32-34 farm policies and use of, 550–551 information gaps in, 34–35 key points for, 538 REACCH tools for, 40 resources for, 567 selective list of, 552-567 selecting right model for, 34-35 delayed minimum tillage, 104 denitrification, 241, 256-257 Differential Global Positioning System (DGPS), 339 direct seeding Annual Crop AEC using, 170 camelina and, 197 canola and, 188, 190, 194 erosion control using, 111, 170 high-disturbance, 103 increased acreage under, 105 low-disturbance, 103 nitrogen fertilizer use related to, 247 one-pass and two-pass systems in, 103 - 104potential alternate crops for, 165, 233 runoff control using, 111 soil erosion control using, 111 tillage approaches in, 103–104, 106-108 variability in agricultural practices and, 322 yellow mustard and, 198 disc tillage, 104, 105, **106**, 111 disease management, 399-463 cation exchange capacity (CEC) in, 66 climate change adaptation strategies using, 35 cultural practices in, 411, 412 foliar and head diseases and, 401 future research in, 462

key points for, 399–400 microorganisms and, 76-77 monitoring in, 406–407 overview of pathogens in, 400-401 Prevent, Avoid, Monitor, and Suppress (PAMS) approach in, 404–410 prevention in, 405-406 resources for, 412, 462-463 root-infecting fungal pathogens and nematodes in, 402-403 selected inland PNW dryland cereal pathogens in, 410-462, 410 suppression in, 407-410 viral diseases and, 402 diseases. See also specific diseases climate change impact on, 21, 29, 30, 403 - 404foliar and head diseases, 401 viral diseases, 402 diversification, 163-218 agroecological classes and strategies in, 169 alternative crop sequences in, 169 Annual Crop AEC and, 169, 170–171 benefits of, 165 camelina and, 196-198 canola and, 186–196 climate change mitigation and, 166 cover crops and, 208-209 economic and environmental goals and, 166 economic impacts of, 209-215, 212, 214, 216, 217 facultative wheat or barley and, 205-206 flex cropping in, 206–207, **207** general water holding capacity and productivity by crop in, 234–235 Grain-Fallow AEC and, 169, 173 grain legumes and, 173–186 hard red winter wheat and, 204-205 hard spring wheat and, 200–201 key points for, 164 long-term productivity improvements with, 164 nitrogen requirements and water use by crop in, **236** potential alternate crops for, 165, 233 prices received by growers in, 215, 217

resources for, 217-218 safflower and, 199-200 short-run costs of changing cropping systems in, 210 spring barley and, 202–203 spring cereals and, 200–203 tillage systems in, 206 Transition AEC and, 169, 171-172 white spring wheat and, 201 winter cereals and, 203-206 winter triticale and, 203–204, 204 yellow mustard and, 198–199 dockage Italian rye grass and, 387 weed control timing and, 364 wheat protein levels and, 246 winter wheat varieties and planting decisions and, 386 double cropping systems, 29 downy brome, 182, 194, 357, 376, 382-384, 433 drones (aerial vehicles), 333, 473, 555 drought canola planting and, 190 climate data resource for, 39 climate modeling of stressors in, 164 delayed seeding in weed control and, 183 excess soil salt levels and, 67 fallow used to lessen effects of, 101 global climate change impacts on, 21, 42, 174 Grain-Fallow AEC with, 172 grain legume production and, 174, 179 dryland agricultural systems diversity of, 21-27 geographic area of, 21 precipitation ranges in, 22-24 predominant crops of, 21, 22 soil orders and, 23, 24 temperature ranges in, 21-22 topography influences on, 24 dust emissions particulate matter standards for, 374 soil erosion and, 109 tillage causing, 374 undercutter tillage to reduce, 206 wind erosion and, 172-173 dust mulch fallow systems, 116

E

early season weed management programs, 397 earthworms soil aggregate stability and, 82, 83 soil pH and, 59 weed seed germination and, 362 economic factors fungal pathogen damage and, 400, 401 land acquisition and, 36 manure use and, 297 Economic Research Service (ERS), 549 economic return conventional tillage and, 211, 212 crop plant population for, 388 weed management and, 377 economic thresholds, in weed management, 363, 375, 377 electrical conductivity (EC). See soil electrical conductivity El Niño Southern Oscillation (ENSO), 19 - 20Entisol soil order, 23, 24 environmental considerations crop residue burning and, 152 crop rotation and, 166 dust in wind erosion and, 172-173 herbicide drift and, 374 leaching and, 255 volatilization and, 256 weed management and, 374 ergosterol, 75 erosion. See also water erosion; wind erosion changing growing practices and, 27 climate change adaptation strategies for, 35 climate change impact on, 30 direct seed for controlling, 111, 170 inland PNW soil susceptibility to, 24 phosphorus loss from, 261 safflower and, 199 soil health and resistance to, 49 steep topography and winter precipitation and, 170 tillage systems and, 58, 58, 110, 355, 374, 381 eutrophication, 255, 261

Extension programs, 4, 90, 325, 538, 543, 549 Extension publications and resources, 3, 4, 37, 38, 118, 149, 250, 269–272, 291, 297, 298–299, 301, 346, 376, 380-381, 462, 463, 469, 528, 529, 530 eyespot (strawbreaker foot rot), 448-453 background on, 448-449, **449** causes of, 449 characteristics and management options for, 448 disease cycle and conditions favoring, 451-452 diseases similar to, 449-450 distribution of, 438 key diagnostic features of, 450–451, 450 management strategies for, 452–453 potential climate change effects on, 452

F

farm assessment tools, 559-567 farm machinery and equipment costs of owning and operating, 118 weed management program's use of, 378, 380 wheel soil compaction from, 54, 55 farm management climate change impact on, 32 decision support tools for, 40–42 land transaction decisions and, 36 soil organic matter (SOM) dynamics and, 72, 78-83 farm policies alternate crop explorations and, 165 brief history of, 538-542, 540-541 climate change impacts on, 35 decision support tools for, 550–567 farm support programs and, 166, 538 future prospects for, 544–548 impacts on PNW of, 542-544 resources for, 548-550 Farm Services Agency (FSA), 548–549 farm software. See also decision support tools precision agriculture with, 338-339 weed management using, 379

federal farm support programs, 166, 538 fertilizers. See also nitrogen fertilizers CO₂ fertilizers, 31, 35, 42 crop residue burning and cost of, 153, 153 low cation exchange capacity (CEC) and, 64 organic sources of, 238 precision management of, 321, 322, 324, 329–333, 338, 339, 341, 343 soil aggregate stability and, 53, 53 soil salt levels and, 68 variable rate applicator systems for, 339 field bindweed, 359, 376 flex cropping diversification strategy using, 206-207, 207 grain legumes in, 173, 175, 179 Transition AEC and, 171–172 flocculation, 66 forecasts disease prevention using, 407 longer term climate projections in, 33 - 34seasonal climate forecasts, 33, 34, 554 weather forecasts, 32, 34 fungal pathogens economic damage from, 400, 401 microorganism suppression of, 76–77 root infections from, 402, 403 seed treatments for, 409 soil pH and, 59 stem diseases and, 401 fungi manure applications increasing, 303 rotation benefits and, 189 soil microorganisms and, 74-75, 75 soil organic matter (SOM) decomposition and, 75-76, 76 soil salt tolerance of, 68 tillage impact on, 79, 80 fungicides, 401, 406, 408-409, 417, 419 Fusarium crown rot, 433-437 background on, 433 characteristics and management options for, 434 disease cycle and conditions favoring, 435-436

distribution of, 433–434 key diagnostic features of, 434–435, 435 management strategies for, 436–437 potential climate change effects on, 436

G

geographic information system (GIS) software, 42, 337, 345 glacial areas, global climate change impacts on, 21 glacial deposits, inland PNW landscape with, 2 global climate models (GCMs), 27–28, 31, 33. See also climate change modeling Global Positioning Systems (GPS), 319, 321, 331, 337, 338–339, **340**, 341, 346, 555, 556, 563, 564-565, 566 glomalin, 53, 75, 152, 303 government policies alternate crop explorations and, 165 brief history of, 538-542, 540-541 climate change impacts on, 35 decision support tools for, 550-567 farm support programs and, 166, 538 future prospects for, 544–548 impacts on PNW of, 542-544 resources for, 548-550 Grain-Fallow agroecological class (AEC) alternative crop sequences in, 169 Annual AEC compared with, 102 camelina and, 197 canola and, 187, 191, 193, 194 crop diversity in, 167–170, 168, 172-173 crop residue production in, 131, 146-147 description of, 26, 26, 27, 167 diversification strategies in, 169, 173 economic analysis of net returns in, 215, 216 general water holding capacity and productivity by crop in, 234-235 grain legumes in, 175, 176 predominant crops in, 21, 22 production issues and adaptive strategies in, 169

soil aggregate stability in, 52 soil organic matter (SOM) in, 80 spring barley and wheat and, 200, 202 tillage systems and, 200, 206 Transition AEC compared with, 102 wind erosion in, 131, 172–173 winter cereals and, 203, 204, 205 grain-fallow systems water infiltration and hydraulic conductivity in, 57 weeds from early seeding in, 382 grain legumes benefits of using, 173 diversification strategy using, 173-186 fall planting window for, 182 N fertilizer use with, 184 nitrogen management for, 183-184 N management for crops following, 184-185 plant establishment in, 179-182 red lentil characteristics in, 178-179 rotation effect of, 185–186 rotation fit of, 173–179 soil pH in, 62, 64 weed management for, 182-183 winter pea characteristics and, 175-178, 177, 178 grain production climate change impacts on, 30-31 as predominant crop in dryland farming, 21, 22 wheel traffic soil compaction and, 54, 55 grazing Aridisol soil order and, 23 cover crops and, 209, 298 decision-support tool for, 552 first season's canola and, 191–192, 192 green bridge effect disease management and, 402, 407, **411**, 424, 428, 432, 442, 447 insect management and, 482, 514-515 weed management and, 362 greenhouse gas emissions climate change strategies for reducing, 35, 36 climate modeling of, 28, 28 conservation versus conventional tillage and, 117 mitigation strategies to reduce, 35, 36

offset programs for, 330 Representative Concentration Pathways (RCPs) for, 28, 28, 29, 29, 30 residue burning and, 152 soil organic matter and, 112 temperature and precipitation impacts of, 20, 21, 29, **29** ground cover crop residue estimates with, 137, 137, 138 soil erosion in tillage systems and, 58, 58, 111 water storage efficiency and, 132 Group 1/A herbicides, 376, 388, 389 Group 2/B herbicides, 376, 383, 388, 389 growing degree days AgClimate Atlas on, 40–42 future climate projections for inland PNW on changes in, 29, 30 inland PNW agronomic zones on, 25, 26

Η

Haanchen barley mealybugs, 521 climate change impacts on, 525 description of, 521, 522 host plants and damage with, 523-524, 523, 524 integrated management of, 524-525 life cycle of, 522–523 resources for, 529-530 status and distribution of, 521 Haney's soil health testing method, 87 - 88hard red winter wheat rotational use of, 204–205 tilling systems for, 205 Harrington Seed Destructor, 388 harvest equipment, and weed seed movement, 361 harvest index, 137, 367 healthy soil. See soil health heavy equipment, soil compaction from, 54, 55 heavy metals, in biosolids, 296-297 herbicide resistance assessment matrix for likelihood of developing, 380, 381

causes of, 355 downy brome and, 376 herbicide rotation and, 379 Italian ryegrass and, 376 managing for, 379–380 testing for, 379 herbicides camelina and, 197 canola and, 188, 192 crop rotation and, 377 downy brome and, 383-384 early season use of, 397 environmental considerations with, 374 erosion potential and, 377 grain legumes and, 182–183 Italian ryegrass and, 388-389 precision management of, 321 prohibition on volatile formulations of, 374 rotation of modes and sites for, 379 Russian thistle and, 385-386 soil acidity and, 264, 265 soil chemistry and, 376 soil pH and, 377 thresholds in, 364 tillage systems and, 377 weed management program fit with, 381 Hessian fly, 483-487 climate change impacts on, 486-487 description of, 484, 485 host plants and damage with, 484 identifying characteristics of, integrated management of, 486 life cycle of, 484 resource for, 528 status and distribution of, 483-484 high-disturbance direct seeding, 103 hydraulic conductivity cropping systems and, 57–58, 57 measurement of, 57 seasonal variations in, 58 soil bulk density and compaction and, 54

I

immobilization, 78, 144, 248, 287, 304, 327

improved fallow practices, 35 Inceptisol soil order, 23, 24 infiltration. See water infiltration inland PNW agricultural and ecological zone classifications for, 24-26 agroecological classes (AECs) of, 22, 26-27, 26 agronomic zones in, 25, 26, 167, 327 conservation tillage systems in, 100, 104-105, 108 dryland agricultural system diversity in, 21–27 future climate projections for, 28–30, 29, 30 geographic area of, 21 grower considerations for improving soil health in, 90–91 precipitation ranges in, 22–24, 26 predominant crops of, 21, 22 production practices for climate change adaptation and mitigation in, 35-36 soil fertility factors in, 238 soil health assessment and, 87-89 soil orders of, 23, 24 soil organic matter (SOM) dynamics in, 24, 70–72 temperature ranges in, 21-22 topography influences on, 24 insect management, 469–530. See also integrated pest management climate change adaptation strategies using, 35 key points for, 469-470 pests affecting inland PNW cereal production and, 470 resources for, 528-530 integrated pest management (IPM), 354-355, 471-475 changing crop systems and, 474-475 climate change impacts on, 473 elements and principles of, 471-472 inland PNW wheat production systems and, 472-473 principal inland PNW insect pests in, 475 variability and change in technology used in, 473-474

Integrated Scenarios of the Future Northwest Environment, 42 integrated weed management (IWM) application of concept of, 355 components of, 354 conceptual model for, 355, 356 developing system for, 375–381 ecological principles in, 355-359 economic thresholds in, 363, 375, 377 key points for, 353–354 integrated pest management compared with, 354–355 method evaluation in, 375, 380-381 problem diagnosis in, 375–377 program execution in, 375, 380 program selection in, 375, 377–380 public opinion and social considerations in, 373-374 selected problematic inland PNW weeds and, 382-389 steps in developing, 356, 375 thresholds in, 354, 363–364, 364, 375, 377 weed reproduction and dispersal and, 361 interference, and weed management, 354, 362-363 Intergovernmental Panel on Climate Change (IPCC), 28, 33 invasive species, 21 inversion tillage, 110, 111, 112, 264, 360 Italian ryegrass herbicides for, 182, 193, 194, 387-389 weed management of, 357, 362, 376

J

jointed goatgrass, 151, 182, 194, **357**, 360, 365, 369, 376, 386–387

K

L

lambsquarters, 194, 355, **358**, 359–360, 376 land acquisition economic considerations in, 36 longer term climate change projections for, 34 large yellow underwing, 494, 496, 497, 497. See also cutworms leaching environmental impact of, 255 factors affecting, 254–255 nitrogen loss through, 78, 174, 183, 241, 254-257, 329 nitrogen use efficiency (NUE) and, 250, 253 nutrient cations and, 64 soil organic matter (SOM) decay and, 69 legumes. See grain legumes lidar sensors, 141, 151 lime application high cation exchange capacity (CEC) and, 66 measuring effectiveness of, 265-266 resources for, 271 soil pH and, 62, 63, 82, 263-266, 271 line-transect method, in crop residue estimates, 137 loess soils, 24 low-disturbance direct seeding, 103

M

magnesium cation exchange capacity (CEC) and, 64,66 pH range and availability of, 59 soil aggregates with, 51 soil flocculation and, 66 manganese deficiency, and disease, 427 manganese toxicity, and crop yields, 59 manure antibiotics in, 305 cation exchange capacity (CEC) and, 67 composition of, 299 composting and, 298, 301-303, 302, 304, 305, 309 contaminants in, 304-306 copper toxicity from, 305-306 cover crops with, 298 crop rotation with, 298 economic factors in use of, 297 grain quality considerations with, 301 management planner for, 299-301 phosphorus from, 261

plant-available nitrogen in, 299, 301, 302 resources for, 298-299, 299-301 safety regulation of production of, 305 secondary solids in, 301, 302 separated dairy solids in, 298, 305-306 soil aggregate stability and, 53, 53 as soil amendments, 289, 289, 297 - 306soil carbon accumulation using, 289, 289 soil health benefits of, 301-303, 303 soil organic matter (SOM) dynamics with, 69, 71, 78, 82 soil pH and, 62 treatment processes used with, 298 weed seeds in, 305 mapping, of weed populations, 381 mapping technology precision agriculture and, 325, 326, 338, 342, 573 resources for, 345-346 site-specific management zones (SSMZs) on, 327–328, **328**, 339 matric potential, tillage systems related to, 52, **52** mayweed chamomile, 194, 358, 362, 376 mealybugs. See Haanchen barley mealybugs meter stick method, in crop residue estimates, 137 microbes/soil microbes soil pH and, 59 soil salt levels and, 68 microbiological controls, in disease management, 410 micronutrients, and soil fertility, 261, 263 mineralization lime application for soil pH and, 62 nitrogen release from organic compounds and, 247 plant-available N from, 240, 240 repeated tillage encouraging, 112 soil organic carbon (SOC) loss in, 79, 112 soil water holding capacity and, 247 minimum tillage, 104

mites, 509–515 climate change impacts on, 515 descriptions of, 509-513, 510, 512 host plants and damage with,513 integrated management of, 513–515 life cycles of, 513 resources for, 530 status and distribution of, 509 mitigation strategies climate change impacts and, 17, 35 - 36diversification in, 166 models and modeling. See also climate change modeling disease prevention using, 407 global climate models (GCMs), 27–28, 31, 33 precision agriculture's use of, 338 moldboard plow tillage, 131, **114**, 128, 129, 370 Mollisol soil order, 23, 24 mulch tillage, 103, 111

Ν

National Agricultural Statistics Service (NASS) crop data, 1, 22, 26, 167, 168, 178, 202 National Association of Agricultural and Food Policy, 552 National Association of Wheat Growers, 549 Natural Resources Conservation Service, 87, 131, 404, 547 National Weather Service, 32 nematodes. See also cereal rust nematodes; root-lesion nematodes soil health and, 83–84 nitrification, 251 electrical conductivity (EC) levels and, 68 N retention and, 241 soil pH and, 61, 62 nitrifier populations, and lime application for soil pH, 62 nitrogen (N) carbon ratio with. See carbon-tonitrogen (C:N) ratio crop comparisons for requirements and water use with, 236

crop residue burning and loss of, 153, 154 crop residue concentrations of, 136 crop residue estimates using, 141 denitrification and loss of, 241, 256-257 leaching and loss of, 78, 174, 183, 241, 255, 329 natural forms available to plants, 240 nitrogen cycle and release of, 240, 240 organic amendment use and temporary loss of, 287, 288 pH range and availability of, 59 potentially mineralizable (PMN), in soil, 78 soil organic matter (SOM) with, 72, 74, 75, 78 tillage systems and dynamics of, 70 wheat-based cropping systems and high demand for, 239–240 nitrogen (N) fertilizers calculating needed annual rates for, 244 - 247canola and, 196, 195 cation exchange capacity (CEC) increase with, 67 climate change and, 322 grain legumes and, 184, 185 nitrogen use efficiency (NUE) and, 241 - 242precipitation and soil relationships and, 243–244 precision management of, 329–333, 341 soil aggregate stability and, 53, 53 soil pH and, 59-61 volatilization and, 255–256 water availability and, 245, 246 wheat yields and, 240 nitrogen immobilization, 78, 144, 248, 287, 304, 327 nitrogen management, 239–257 biosolid application rate and, 292, 293 canola and, 195-196 climate change adaptation strategies using, 35 denitrification and, 241, 256-257 factors driving, 242-248 grain legumes and, 183-184

grain protein levels and, 246 leaching and nitrogen losses in, 78, 174, 183, 241, 255 Liebig versus Mitscherlich approaches in, 250–251, **250** nitrogen availability and, 240-241 nitrogen cycle in, 240, 240 nitrogen rate variation and, 243-244, 243 nitrogen recommendation factors in, 244-245 nitrogen use efficiency (NUE) and, 241 - 242precipitation and soil relationships and, 243-244 precision agriculture and, 329–333 residual soil nitrogen and, 246-248, 248 resources for, 268-269 site-specific, 329-330 strategies for improving, 251–254 typography variations and, 242–243, 242 variable rate nitrogen (VRN) applications in, 330-331, 332, 341, 344 volatilization and, 255-256 water and nitrogen relationships and, 242 - 244water availability and, 245, 246 nitrogen use efficiency (NUE) canola and, 195 components of, 241 crop management decisions and, 248-249 crop rotations and, 253–254 factors impacting, 241, 248-251 fertilizer placement and, 251-253, 252 fertilizer rates based on soil tests in, 242 leaching and, 241, 250, 253 nitrogen management for, 241-242 precision agriculture and, 320, 332 soil and plant processes in, 241 strategies for improving, 251-254 unit nitrogen requirements (UNRs) and, 248–251, **250**, 267 wheat cultivar yield and, 253 normalized difference vegetation index (NDVI), 336-336

no-till tillage systems Annual Crop AEC and, 170 benefits of, 165 biosolid application rates in, 292–283 crop residue amounts produced in, 128, 129 crop residue for erosion control in, 128, 130, 131 diversification strategy using, 206 earthworm populations in, 84, 85 Grain-Fallow AEC and, 173 ground cover, runoff, and soil erosion in, 58, **58** herbicide use with, 377 increased acreage under, 105 snow depth in, 133–135, **134** soil aggregate stability in, 52 soil organic carbon (SOC) dynamics and, 69, 70, 78–79 Transition AEC and, 171 water hydraulic conductivity and water infiltration with, 57, 58 water storage efficiency in, 132, 133 nutrient management resources for, 269–270

0

oilseed production. See also specific crops average net returns for, 215 challenges to adopting, 187-188 one-pass direct seeding, 103–104, 105 OreCal, 549 Oregon Lime Score, 265 Oregon/Washington Phosphorus Indexes, 261, 270 organic amendments soil aggregate stability and, 53, 53 soil bulk density increased by, 55-56 soil salt levels and, 68 organic matter cation exchange capacity (CEC) increase with, 66, 67 soil enzymes and decomposition of, 77 soil fauna and, 84 soil organic matter (SOM) with, 74

Р

Pacific Decadal Oscillation (PDO), 19–20

Pacific Northwest (PNW) average annual maximum temperature (1981–2020) across, 17, 18 average annual precipitation (1981– 2020) across, 17-18, 18 climate change impact on, 38 climate overview of, 17-21 farm policy impact on, 542–544 global climate change impacts in, 20 - 21primary drivers of climate variability in, 19–20 year-to-year variability in annual temperature and precipitation in, 18, 19 Pacific Northwest Direct Seed Association, 105 paper-manufacturing, black liquor from crop residue used in, 151, 286, 308, 309 paper manufacturing waste, as soil amendment, 308-309 particulate matter crop residue burning producing, 152 standards for, 374 volatilization and, 256 particulate organic matter (POM), in soil organic matter (SOM), 72, 74 pea vine (PV) application benefits of, **303** cation exchange capacity (CEC) with, 67 soil organic carbon (SOC) dynamics with, 71, 82 penetration resistance, and soil health, 49 period thresholds, in weed management, 363, 364 permanganate oxidizable carbon, in soil organic matter (SOM), 74, 79 pesticides environmental considerations with, 374 precision management of, 322 soil salt levels and, 68 weed management program fit with, 381 pests. See also insect management and specific pests

climate change impacts on, 21, 29, 30 crop residue harvesting and, 149 pН alternative ways of increasing or maintaining, 62 aluminum levels and, 59, 60 biochar application and, 62, 63, 306, 308 conservation tillage systems and, 113 - 115crop rotation and, 62, 64 fertilizer efficiency and, 264, 265 grower resources on, 269 herbicide use and, 377 landscape-specific processes affecting, 325 lime application increases in, 62, 63, 263-266, 271 long-term winter wheat-spring pea (WW-SP) cultivation and, 61, 61 macronutrient availability ad, 59 measurement of, 59 N fertilizer use and, 59–61 phosphorus fixation and, 259-260 resources for, 269, 271 soil acidification and, 263, 266 as soil health indicator, 49 soil processes impacted by, 59 tillage practices and, 78 phosphorus (P) crop residue concentrations of, 136 deficiency of, 259 erosion loss of, 261 factors impacting requirements for, 260-261 fertilizer placement of, 260 indexes for, 261, 270 manure application for, 261, 304 manures with, 301, 302 pH levels for fixation of, 259–260 soil amendments using, 289, 290 soil organic matter (SOM) with, 75 soil test for levels of, 259, 261 physiological leaf spot (PLS), 262, 272, 414plant diseases. See disease management; diseases planting dates climate change adaptation strategies

for shifting to earlier, 35 climate change impact on, 29, 30 disease prevention and, 407–408 seasonal climate forecasts for, 34 weather forecasts for, 34 polysaccharides, 50, 53, 75, 76, 136, 143, 152 potassium (K) crop residue burning and loss of, 153, 154 fertilizer application of, 262 manure applications for, 304 paper manufacturing waste as source of, 309 pH range and availability of, 59 soil fertility and, 64, 261, 262 potassium chloride (KCl), 262 precipitation average annual (1981-2020) across PNW, 17-18, 18, 22 climate change adaptation strategies for changes in, 35 dryland agricultural systems and, 22 - 24future climate projections for inland PNW on changes in, 29, 29, 31 global climate change impacts on, 20 - 21greenhouse gas emissions and, 20, 21 inland PNW agronomic zones on, 25, 26 inland PNW classes for, 24 primary drivers of variability in, 19 - 20rain shadow effect from Cascade Mountains and, 12, 15, 17, 277 seasonal climate forecasts of, 33 soil organic carbon (SOC) and level of, 71 variability across decades in, 20 water conservation needs and, 132 water storage efficiency and, 132 year-to-year variability in annual temperature and precipitation in, 18, 19 precision agriculture, 319-346 additional research needs for, 344–345 climate change adaptation strategies using, 36, 321, 329

concepts (4Rs) in, 321 crop residue harvesting and, 151 decision considerations for, 342–343 description of, 320-321 farm equipment in, 338–339 farmer case studies for, 344 field-scale variability in, 322–325 future directions for, 343-345 geospatial referencing technology in, 337 history of, 321–322 inland PNW adoption of, 339-342, 340 key points for, 320 landscape-specific process affecting, 323-325, 324 lateral water flow and, 323, 323 models in, 338 number of farmers using technology from, 341-342, 340, 344 remote sensing technology in, 333-337, 335 resources for, 345-346 prescription maps with site-specific management zones (SSMZs) in, 327–328, **328**, 339 site-specific management process in, 325-329, **327** site-specific nitrogen management in, 329-333 soil electrical conductivity (EC) used in, 336, 336 soil mapping in, 325, **326**, 338, 342, 573 steps in, 321 technologies in, 321 variability within fields and across years in, 325, 326 winter wheat performances classes example in, 332-333, 333 Prevent, Avoid, Monitor, and Suppress (PAMS) approach, 404–410 prickly lettuce, 358, 376 pulse crops crop residue nutrients in, 136, 143 - 144early season use of, 379 federal programs encouraging, 166 herbicide resistance and, 379

nitrogen fixing with, 298 rotational use of, 176, 181-182, 183, 184, 366, 387-388 seeding rate for, 368, 388 Purdue University Agronomy Guide, 128 Manure Management Planner, 299 - 300*Pythium* root rot, 428–433 background on, 428 characteristics and management options for, 429 disease cycle and conditions favoring, 431 key diagnostic features of, 428-429, 430 management strategies for, 431-433 potential climate change effects on, 431

Q

R

rain. See precipitation recrop wheat, 178, 206, 207 red lentils. See also grain legumes crop rotational characteristics of, 178 - 179reduced tillage, 104, 106-108, 173 Regional Approaches to Climate Change (REACCH) climate and weather tools from, 40, 41 decision support tools from, 40 geographic area of dryland agricultural systems and, 21 webinar series from, 257, 268-269, 346 regulation. See government policies remote sensing spectral indices, in crop residue estimates, 14 remote sensing technology, in precision technology, 333-337, 335 Representative Concentration Pathways (RCPs), for greenhouse gas emissions, 28, 28, 29, 29, 30 residue burning. See crop residue burning residue cover conservation tillage and, 115

evaporation rates and, 58 fallow and flex cropping and, 200 indices for predicting, 141, 335 reduced tillage and, 104 residue decompensation rates and, 143 soil fauna population and, 83 soil hydraulic properties and, 57 soil organic matter (SOM) and, 80–81, 82 soil pH and, 62 tillage systems and, 105, 106, 111, 128 water infiltration and evaporation suppression and, 132 wind and water erosion related to, 131 residue-to-grain ratio (R:G ratio), 137, 138, 139, 139, 141 resistance. See herbicide resistance resources biosolids, 291, 297 climate change, 37-42 climate modeling, 37–38 conservation tillage systems, 116–118 decision support tools, 40–42, 552-567 disease management, 412, 462-463 diversification, 217–218 farm policies, 548–550 insect management, 528-530 manures, 298-299 precision agriculture, 345–346 soil amendments, 310 soil acidification, 266 soil fertility, 268–271 soil health, 91-92 soil sampling methods and tests, 268 weather and climate data, 38–40, 41 Rhizoctonia root rot, 419-425 background on, 419 causes of, 420-421 characteristics and management options for, 420 disease cycle and conditions favoring, 422 - 423distribution of, 420 key diagnostic features of, 421–422, 421 management strategies for, 423–425 potential climate change effects on, 423 ridge tillage, 102–103

rodweeding, 52, 101, 104, 370, 385 root development compaction impacts on, 49 seasonal variations in soil hydraulic properties from, 58 soil acidity and, 264 root-lesion nematodes, 437-442 background and causes of, 437-438 characteristics and management options for, 438 disease cycle and conditions favoring, 439 - 440distribution of, 438 key diagnostic features of, 438-439, 439 management strategies for, 440-442 potential climate change effects on, 440 root rot, 77, 402, 403, 408. See also Pythium root rot; rhizoctonia root rot chloride and, 262 cropping practices and, 410 cultural practices and, 411 diagnostic features of, 434 nutrient management and, 408 Rhizoctonia solani causing, 77, 439, 456 seed treatment and, 409 surface residue and, 408 rotation. See crop rotation rotational diversification, 35 runoff canola and reduction in, 188, 190 compaction of soil affecting, 54 direct seeding for controlling, 10, 111 drinking water sources and, 255 fertilizer use and, 10, 237, 250, 254, 255, 268 frozen soil and, 101, 110 snowmelt and, 133 soil aggregate stability and, 52 as soil health indicator, 50 steep topography and winter precipitation and, 170 tillage systems and, 58, 58, 110 water infiltration and control of, 132 water conservation needs and, 132 Russian thistle, 197, 358, 359, 376, 384-386

S

safflower, diversification strategy using, 199 - 200salt levels in soil electrical conductivity (EC) and, 67, 68 factors adding, 68 scenarios tools climate change and need for changes in, 36 resources for, 42 seasonal climate forecasts, 33, 34, 554 seedbank, weed, 361-362, 382 seed management, in weed control, 359, 388 seed treatment, in disease prevention, 409 sensing technology crop mapping using, 141 herbicide application using, 385-386 precision agriculture with, 151, 333-337, 338, **335**, 555 silt loams seed management in, 359, 388 biochar performance and, 306 cation exchange capacity (CEC) of, 65 deep-injected fertilizer use with, 256 inland PNW wheat production and, 24 land-use management effects on, 73 organic soil amendment use and, 289 potassium levels in, 262 runoff and erosion related to wareholding capacity of, 170 soil erosion effects on, 109 soil organic carbon (SOC) and bulk density in, 56 soil organic carbon (SOC) depletion rates in, 70 site-specific management zones (SSMZs), 327-328, 328, 339 snow capture, and crop residue, 133-135, 134, 135 snowpack, mountain global climate change impacts on, 20 scenario tool for, 42 SOC. See soil organic carbon sodium acetate test, for potassium, 262

soil acidification conservation tillage systems and, 105 pH levels and, 263, 266 resources for, 266 soil aggregation biosolid applications and, 294 conservation tillage systems and, 111, 111 crop residue burning and, 152 soil health and stability of, 50–54 soil organic matter (SOM) decomposition and, 75-76, 76 soil amendments, 283-310 biochar for, 306-308 biosolids for, 289, 289, 290-297 carbon-to-nitrogen (C:N) ratio for selecting use of, 287 climate change mitigation strategies using, 36, 285-286 common organic materials in, with C:N composition, 287, 288 considerations in using, 286-289 factors in selecting, 289 key points for, 283-284 manures for, 289, 289, 297-306 paper manufacturing waste and, 308-309 quality and type of, and amount of carbon stored in soils, 287–289, 289, 290 resources for, 310 soil health improvements using, 284–285, 285, 286 temporary loss of plant-available soil nitrogen upon addition of, 287, 288 types of variability seen in, 286–287 soil chemistry, and herbicides, 376 soil color, as soil health indicator, 50, 51 soil compaction. See compaction of soil soil depth agroecological class characteristics with, 26, 167 inland PNW agronomic zones on, 25, 26 soil electrical conductivity (EC) related to, 67 as soil health indicator, 50 soil organic matter related to, 50, 51

soil dispersion impact of, 66 sodium promotion of, 66 surface residue slowing of, 128 soil electrical conductivity (EC), 67–68 measurement of, 67 precision agriculture's use of, 336, 336 salt levels and, 67, 68 soil properties and, 67–68 soil enzymes acidity suppressing, 62 management effects on, 83 permanganate oxidizable carbon and, 74 soil organic matter (SOM) and, 77, 77 soil erosion. See also erosion conservation tillage systems and, 100, 102, 105, 109-111 cover crops and, 208 crop residue harvesting and, 125 effects of different tillage implements on, 105, 106-108 global climate change impacts on, 21 herbicide use and possibility of, 377 impacts of, 110 tillage systems impacting ground cover, runoff, and, 58, 58 soil fauna. See also insect management management techniques for, 82-83 measurement techniques for, 82 soil health and, 82-84 soil fertility, 237-271 chloride and, 261, 262 grower resources for, 268–271 key points for, 237-238 managing soil nutrients in, 238–239 micronutrients and, 261, 263 nitrogen management in, 239-257 nutrient supply and removal at harvest and, 238, 239 phosphorus management in, 259–261 potassium and, 261, 262 soil pH and liming in, 263–266 soil sampling and tests in, 266-268 sulfur management in, 257-259 soil health, 47-92 aggregate stability and, 50–54 assessment of. See soil health assessment

biosolid applications and, 294, 295 bulk density and compaction and, 54-56 carbon loss and, 284 cation exchange capacity and, 64–67 characteristics of, 49 climate change adaptation strategies for, 35 crop residue harvesting and, 135–136 definition of, 48 diversification for long-term improvement to, 164 grower considerations for improving, 90 - 91indicators of, 49-84 intensive tillage and, 164 key points for, 48 management strategies for improving, 90-91 manure applications and, 301-303, 303 organic amendments to improve, 285, 286 potentially mineralizable nitrogen (PMN) and, 78 residual soil nitrogen and, 247 resources for, 91–92 soil enzymes and, 77, 77 soil fauna and, 83-84 soil microbial biomass dynamics as early indicator of, 74 soil electrical conductivity (EC) and, 67 - 68soil fauna and, 83-84 soil organic matter (SOM) and, 68-83 soil pH and, 59-64 soil respiration and mineralizable carbon and, 77–78 soil water dynamics in, 57–59 visual indicators of, 50 soil health assessment, 84–89 commonly used properties in, 50 conceptual framework for, 85, 86 criteria for framework for, 85-86 description of, 48-49 difficulty of performing, 84-85 indices used in, 87-89 inland PNW and, 87-89 management systems and, 88-89, 89

qualitative and quantitative indicators in, 48–49 soil health indicators in, 49 variations in regions affecting indicators used in, 49–50 visual observation of soil color in, 50, 51 soil infiltration. See water infiltration soil mapping precision agriculture and, 325, 326, 338, 342, 573 resources for, 345-346 site-specific management zones (SSMZs) on, 327-328, 328, 339 soil microbial biomass. See biomass soil moisture climate change impact on, 21, 30, 31 global climate change impacts on, 21 soil electrical conductivity (EC) and, 67 - 68weed germination and plant development and, 359 soil nutrients. See also specific nutrients biosolids application and loss of, 296 complicated process of managing, 238 - 239crop residue burning and, 152, 153, 153 crop residue harvesting and, 136, 147, 149, 150 disease prevention and, 408 harvest removal of, 238, 239 soil orders, inland PNW, 23, 24 soil organic carbon (SOC) biosolids applications for, 294 carbon dioxide (CO₂) loss and sequestering of, 68 cropping system effects on, 68, 69 crop residue harvesting and, 136, 146-147, 148 land-use management effects on, 72, 73 tillage effects on, 69, 70 soil organic matter (SOM), 68-83 agricultural management influences on, 72, 78-83 bulk density related to, 55–56, 56 conservation tillage systems and loss of, 105, 111-113, 114

cropping system effects on, 56, 68, 69 crop residue harvesting and, 135-136 dissolved organic matter in, 74 effects of different tillage implements in, 105, **106–108** factors in loss of, 71 flex cropping and, 172 herbicide decisions and, 376 indicators of dynamics of, 72-78 inland PNW agronomic zones on, 25, 26 inland PNW dynamics of, 24, 70–72 lime application for soil pH and, 62 long-term time frame for changing, 71,72 microbial biomass and, 74–77, 75, 81, 81 nitrogen fertilizer use related to, 247 particulate organic matter (POM) and, 72 permanganate oxidizable carbon in, 74 pools of, depending on turnover time, 68-69 potentially mineralizable nitrogen (PMN) and, 78 range of organic materials in, 68 soil aggregate stability and, 51–52 soil and management practices and dynamics of, 69, 70 soil enzymes and, 77, 77 soil erosion and, 110 soil fauna and, 82 as soil health indicator, 49, 50 soil pH and, 59 soil respiration and mineralizable carbon and, 77–78 tillage effects on, 69, 70, 71 visual observation of soil color in, 50, 51 water infiltration and hydraulic conductivity related to, 57 soil pH. See pH soil quality. See soil health soil quality index, 88-89, 89 soil structure biochar and, 306, 310 broadleaf crop sequences for improving, 164

canola production and, 188 compaction leading to loss of, 49 compost and, 304 cover crops benefitting, 208 fallow period reduction and, 9 herbicides and, 376 intensive agricultural systems' impact on, 47 particulate organic matter (POM) and, 72 residual soil nitrogen and, 247 salt levels in, 67 soil acidity impacts on, 265 soil amendments for improving, 283, 285, 310 soil hydraulic properties and, 57 soil organic matter (SOM) and, 68 tillage and, 57 soil tests nitrogen use efficiency (NUE) and, 242 phosphorus level and, 259, 261 potassium level and, 262 resources for, 268, 271-272 soil fertility management using, 266-268, 271-272 sulfur level and, 258 soil water dynamics of, 57-59 herbicide use and, 376, 377 tillage systems related to, 52, 52 SOM. See soil organic matter spectral angle methods, in crop residue estimates, 141 spring cropping downy brome control during, 382 Russian thistle and, 385 steppe vegetation, 17, 24 strawbreaker foot rot. See eyespot streamflows global climate change impacts on, 20 scenario tool for, 42 stripe rust, 412-419 background on, 412 causes of, 412 characteristics and management options for, **413** disease cycle and conditions favoring, 415 - 416

distribution of, 412-414 key diagnostic features of, 414–415, 414 management strategies for, 417-419, 418 potential climate change effects on, 416-417 stripper header, 125, 141, 142–143, 171, 200, 206 sulfur (S) application recommendations for, 258 canola nutrient requirements and, 195 crop residue burning and loss of, 153, 154 factors impacting requirements for, 258 - 259pH range and availability of, 59 plant absorption process for, 257-258 soil fertility and, 257-259 soil organic matter (SOM) with, 75 soil tests for level of, 258 sulfur dioxide (SO₂), from residue burning, 152 suppressive soils, 409–410 sustainable farming, 99, 105–109 sweep tillage, 104, 105, 106 synthetic fertilizers manure applications compared with, 303, **303** plat-based soil amendments in place of, 285 soil aggregate stability and, 53, 53

Т

take-all disease, 425–428 background on, 425 bacterial inhibition of, 59, 66, 76 characteristics and management options for, **426** disease cycle and conditions favoring, 426–427 key diagnostic features of, 425–427 management strategies for, 427–428 potential climate change effects on, 427 seed treatments for, 409 temperature average annual maximum (1981– 2020) across PNW, 17, **18**, 22

climate change adaptation strategies for changes in, 35 climate change indicator using annual changes in, 20 dryland agricultural systems and, 21 - 22future climate projections for inland PNW on changes in, 28-29, 29, 30 global climate change impacts on, 20 - 21greenhouse gas emissions and, 20 primary drivers of variability in, 19 - 20seasonal climate forecasts of, 33 topography influences on, 17 weed growth and, 359 year-to-year variability in, 18, 19 three-year winter wheat rotation. See Annual Crop-Fallow Transition agroecological class (AEC) thresholds, in weed management, 354, 363-364, **364**, 375, 377 tillage systems. See also specific systems bulk density related to, 55, 55, 56 climate change adaptation strategies using, 35 crop residue amounts produced in, 128, **129** diversification strategy using, 206 earthworm populations in, 84, 85 effects of different implements in, 105, 106 - 108erosion from, 58, 58, 110, 355, 374, 381 farm policies on, 547 ground cover production in, 128, **129** ground cover, runoff, and soil erosion and, 58, 58 hard red winter wheat and, 205 herbicide incorporation by, 377 Italian ryegrass and, 388 landscape-specific processes affecting, 324 production issues and adaptive strategies in, 169 Russian thistle and, 385 snow depth related to, 133-135, 134 soil aggregate stability related to, 52, 52 soil compaction related to, 51, 51, 54

soil health assessment and, 88, 89 soil organic matter (SOM) dynamics to, 56, 69, 70, 78 soil water dynamics impacted by, 57 - 58variability in agricultural practices and, 322 water conservation needs and, 132 water storage efficiency comparisons in, 132, 133 weed management and, 355, 356, 357, 360, 365, 369-370, 374, 381, 382, 383, 386-387 transgenic glyphosate-resistant wheat, 373-374 Transition AEC. See Annual Crop-Fallow Transition agroecological class (AEC)

two-pass systems in direct seeding, 103-104

U

undercutter fallow tillage, 173, 200 biosolid applications with, 294 conservation tillage using, 104, 105, 115-116 crop residue for erosion control in, 128 diversification using, 171-172, 206 Russian thistle and, 384 soil erosion and, 110–111 unit nitrogen requirements (UNRs) annual N fertilizer calculations using, 245 calculation of, 249 camelina and, 197 canola and, 196 crop comparisons for, 236 feed barley and, 202 hard red wheat and, 201 nitrogen use efficiency (NUE) in management decisions and, 248-251, 250, 267 nutrient management decisions based on, 249 site-specific nitrogen management and, 329–330 soil fertility management and, 249-251, 250

V

variable rate nitrogen (VRN) applications, 330–331, **332**, 339, 341, 344 variegated cutworm, 500, **501**. *See also* cutworms volatilization, 255–256 ammonium loss through, 299 environmental impact of, 256 factors affecting, 255–256 nitrogen losses through, 250, 329 nutrient loss through, 296

W

Washington State Climatologist, 39 water availability resource for, 270 water tables overlying clay-rich horizons and lateral flow in, 323, 323 water conservation crop residue harvesting for, 131–135, 133, 134, 135, 142 snow capture and, 133–135, 134, 135 winter wheat production needs and, 131 - 132water content of soil factors affecting, 57 flex crop recommended minimums for, 207, 207 flex crop yield assessment using, 206 nitrogen management strategies related to, 242-244, 242 residual soil nitrogen and, 247 soil electrical conductivity (EC) and, 67 soil organic matter (SOM) and, 78 tillage systems affecting, 52, 52 water erosion. See also erosion conservation tillage systems and, 110 crop residue production for, 128, 130 water holding capacity agroecological class characteristics with, 167, 170, 171 biochar and, 306, 310 biosolids increasing, 294 comparisons by agroecological class and by crop, 234-235

fallow period reduction and, 9 herbicide use and, 376 higher yielding areas related to, 331 inland PNW agronomic zones on, 25, 26 precipitation zones affecting, 26 residue and tillage management and, 132 rotational diversification and, 210 soil electrical conductivity (EC) and, 66, 68 soil organic matter content and, 247, 254 soil texture affecting, 376 wheat yields on hills and, 243 wind erosion related to, 173 water infiltration canola production and, 164, 188 cover crops and, 80, 208, 209, 553 crop residues and, 136 cropping system related to, 52, 52, 57-58, **57** direct seeding and, 111 liming and reduction of, 265 manure applications and, 303 measurement of, 57 nematode tunneling and, 83 organic materials and crop residues for, 53–54, 53 residue burning and, 152 seasonal variations in, 58–59 soil aggregate stability and, 51, 52, 53-54, 53, 76 soil amendments to improve, 283, 285 soil compaction reduction of, 54 soil dispersion and restriction of, 66 soil health assessment using, 49 soil organic matter (SOM) and, 68 surface residues promoting, 58, 58, 128, 132 tillage management and, 132 visual indicators of, 50 water use efficiencies (WUEs) atmospheric carbon dioxide and, 16, 21 climate change adaptation strategies using, 35 crop choices in diversification and, 168

nitrogen fertilizer use and, 245, 246 Russian thistle and, 384 weather data decision support tools using, 40-42 resources for, 38-40, 41, 345, 554-555 weather forecasts climate change projections using, 32 limitations of, 32 planting date decisions using, 34 weed density crop growth interference from, 363 intensive crop rotation to reduce, 366 soil health and, 50 weed ecology, 355-359, 357-358 weed management, 353-392. See also integrated weed management (IWM) abundance of weed seeds and, 361 - 362canola production and, 193–195 cation exchange capacity (CEC) in, 66 climate adaptation of weeds and, 359 climate change adaptation strategies using, 35 conceptual model for, 355, 356 critical period thresholds in, 363, 364 crop-weed competition in, 362–363 early season programs in, 397 ecological principles in, 355-359, 357-358 economic return and, 377 environmental considerations in, 374 grain legumes and, 182–183 herbicide rotation of modes and sites in, 379 inputs in, 365–373 interference and, 354, 362-363 key points for, 353-354 method evaluation in, 375, 380-381 monitoring and follow-up in, 380 new species recognition and prevention in, 375-376 other crop pests and, 362 perennial weeds versus annual weeds in, 359 pest management compared with, 354-355 problem diagnosis in, 375–377 program execution in, 375, 380

program selection in, 375, 377–380 public opinion and social considerations in, 372–373 resources on, 390-392 seed management in, 359, 388 selected problematic inland PNW weeds and, 382–389 soil chemistry and, 376 thresholds in, 354, 363-364, 364, 375, 377 tillage in, 355, **356**, 357, 369–370, 374, 381, 383 weed life cycle stages and, 355, 359 weed seedbank and, 361–362, 382 weeds. See also specific weeds abundance of seeds of, 361-362, 375 adaptation to climate by, 359 climate and seed germination and plant development of, 359 crop competition with, 362–363 diversity of species of, 375 life cycles of, 355, 359 managing new species of, 375-376 mapping of populations of, 381 other crop pests interacting with, 362 perennials versus annuals in, 359 seed dispersal and, 360-361 seed dormancy and, 360 seed production by, 359-360 weed seedbank, 361-362, 382 weight per unit area method, in crop residue estimates, 137, 138 wheat curl mite, 511–513, **512**. See also mites wheat head armyworm, 500-504 climate change impacts on, 504 description of, 500–502, **501**, **502** host plants and damage with, 502-503 integrated management of, 503-504 resources for, 528-529 status and distribution of, 500 wheat midge, 504 climate change impacts on, 508-509 description of, 504, 505 host plants and damage with, 505-506, **506** integrated management of, 506–508 life cycle of, 504–505 relative risk of infection by, 507, 508

resource for, 528 status and distribution of, 504 wheat production. See also grains; spring wheat *headings*; winter wheat headings agricultural soils of, 24 biosolid applications in, 291, 293–294 climate change impacts on, 30-31 fungal pathogens and, 76-77 geographic area for, 21 herbicide resistance testing in, 379 inland PNW agronomic zones for, 25, 26 no-till planting in, 105 precision management of, 332-333, 333 precipitation classes for, 22–24 as predominant crop in dryland farming, 21 wheat soilborne mosaic (WSBM) disease, 458 background on, 458 causes of, 458 characteristics and management options for, 459 disease cycle and conditions favoring, 459-461 diseases similar to, 449-450 distribution of, 438 key diagnostic features of, 458-459, 460 management strategies for, 461-462 potential climate change effects on, 461 wheat yield aluminum toxicity and, 59, 60, 263 biochar application and, 62, 63 equation for predicting, 207 lime application for soil pH and, 62, 63 nitrogen availability and, 243-244, 243 slope location and, 242, 243 soil pH and, 59 wheel traffic soil compaction, 54, 55 white spring wheat, 201 wind erosion conservation tillage systems and, 109, 111

crop residue harvesting and, 125, 128, 129, 131, 135 Grain-Fallow AEC and, 131, 172–173 ground cover production related to, 128, **129** windrow burning, 151, 365, 369 winter grain mite, 511. See also mites winter peas. See also grain legumes rotational fit characteristics of, 175-178, 177, 178, 180 winter triticale, 203–204, 204 winter wheat-fallow (WW-F) tillage cation exchange capacity (CEC) increase in, 66, 67 ground cover, runoff, and soil erosion in, 58, 58 soil aggregate stability in, 52, 52 soil erosion and, 109, 111 soil organic carbon (SOC) in, 70, 71, 82, **83** soil pH in, 62, **64** subsoil compaction in, 55, 56 water hydraulic conductivity and water infiltration with, 57, 58 winter wheat production climate change impacts on, 30-31 critical period thresholds in weed management in, 363, **364** inland PNW agronomic zones on yields in, 25, 26 soil erosion and, 110 winter wheat-spring barley-spring legume (WW-SB-SL) tillage residue harvest and, 147 rotational diversity with, 169, 171 soil bulk density and, 54 soil compaction and, 55 soil organic matter (SOM) and, 79 earthworm populations in, 84, 85 winter wheat-spring pea (WW-SP) tillage soil organic carbon (SOC) in, 70 soil pH in, 61, 61, 62, 64 winter wheat-winter pea (WW-WP) tillage, soil organic carbon (SOC) in, 80, **81** wireworms, 515-521 climate change impacts on, description of, 516, 516, 517

```
factors affecting, 517-518
host plants and damage with, 517, 518
integrated management of, 519–521
life cycle of, 516–517
status and distribution of, 515
```

X

Y

vellow mustard diversification strategy using, 198-199 rotational effect of, 100 yield atmospheric carbon dioxide and, 21 conservation tillage systems and, 109, 115-116 crop residue estimates using, 138-141, 139, 140 crop-weed competition and losses in, 363 precision agriculture and, 320 soil compaction and, 54, 54, 55 soil pH and, 59 yield monitoring technology, 141, 328, **332**, **340**, 341

Ζ

zinc, and soil fertility, 64, 263